

SDS Number: 92

Bird Proof Safety Solvent Cleaner

Revision Date: 12/7/2014

Page 1 of 11

1

PRODUCT AND COMPANY IDENTIFICATION

Manufactured Exclusively for:

Bird-x, Inc. 300 N. Oakley Blvd. Chicago, IL 60612

 Contact:
 Bird-X, Inc.

 Phone:
 800-662-5021 | 312-226-2473

 Email:
 sales@bird-x.com

 Web:
 www.bird-x.com

Product Name:	Oil-Flo™
Revision Date:	12/7/2014
Version:	3.00
SDS Number:	92
Common Name:	Solvent-Based Cleaner
CAS Number:	MIXTURE
Chemical Family:	Solvent-Surfactant Blend
Chemical Formula:	*** PROPRIETARY ***
Synonyms:	Safety Solvent Cleaner
Emergency Phone:	800-662-5021

2


HAZARDS IDENTIFICATION

NFPA: HMIS III:



Health = 2, Fire = 2, Reactivity = 0 H*2/F2/PH0







Bird Proof Safety Solvent Cleaner

Revision Date: 12/7/2014 Page 2 of 11

SDS Number: 92

GHS Signal Word:

DANGER GHS Hazard Pictograms: **GHS Classifications:** Physical, Flammable Liquids, 3 Health, Acute toxicity, 4 Oral Health, Aspiration hazard, 1 Health, Acute toxicity, 4 Dermal Health, Skin corrosion/irritation, 2 Health, Serious Eye Damage/Eye Irritation, 1 Health, Acute toxicity, 4 Inhalation Health, Specific target organ toxicity - Single exposure, 3 Health, Germ cell mutagenicity, 1 Health, Carcinogenicity, 1 GHS Phrases: H226 - Flammable liquid and vapor H302 - Harmful if swallowed H304 - May be fatal if swallowed and enters airways H312 - Harmful in contact with skin H315 - Causes skin irritation H318 - Causes serious eye damage H332 - Harmful if inhaled H335 - May cause respiratory irritation H336 - May cause drowsiness or dizziness H340 - May cause genetic defects H350 - May cause cancer **GHS Precautionary Statements:** P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking P233 - Keep container tightly closed.

- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/light/equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P262 Do not get in eyes, on skin, or on clothing.
- P264 Wash skin thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

BIRD-X

Safety Data Sheet (SDS)

Bird Proof Safety Solvent Cleaner

SDS Number: 92

Revision Date: 12/7/2014

Page 3 of 11

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P308+313 - IF exposed or concerned: Get medical advice/attention.

P321 - Specific treatment (see supplementary first aid instructions on this label).

P332+313 - If skin irritation occurs: Get medical advice/attention.

P337+313 - If eye irritation persists: Get medical advice/attention.

P362 - Take off contaminated clothing and wash before reuse.

P370+378 - In case of fire: Use water spray, water fog, alcohol-resistant foam, dry chemical or carbon dioxide for extinction.

P403+235 - Store in a well ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to an approved waste disposal plant.

Additional Hazard Statements (EU):

EUH066 - Repeated exposure may cause skin dryness or cracking.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas # P	ercentage	Chemical Name
64742-95-6 3	0-40%	Solvent naphtha, petroleum, light arom.
95-63-6 2	0-30%	1,2,4-Trimethylbenzene
None 2	0-35%	Trade Secret*
111-76-2 1	0-15%	2-Butoxyethanol
108-67-8 0	-5%	1,3,5-Trimethylbenzene
68603-42-9 1	.5-5% 1	Amides, coco, N,N-bis(hydroxyethyl)
1330-20-7 1	.5-5% 1	Xylene
98-82-8 1	.5-5% 1	Cumene
25340-17-4 1	.5-5% 1	Diethylbenzene

*The specific chemical identities of the ingredients of this mixture labeled as "Trade Secret" are considered to be proprietary and are withheld in accordance with the provisions of 29CFR1910.1200 Sect. (i) Trade Secrets.

4 FIRST AID MEASURES Inhalation: If inhaled, move person into fresh air. Monitor respiratory function. If breathing is difficult, provide oxygen. If not breathing, give artificial respiration. If symptoms persist, obtain medical attention. Skin Contact: Promptly flush skin with water for at least 15 minutes to ensure all chemical is removed. Remove contaminated clothing and wash before reuse. Consult a physician if irritation persists. Eye Contact: Flush with large amounts of water for at least 15 minutes, lifting upper and lower lids occasionally. Remove contact lenses is present and easy to do so. Get immediate medical attention. Ingestion: Rinse mouth with water. Do NOT induce vomiting unless instructed to do so. Material can enter lungs (aspiration hazard) during swallowing or vomiting resulting in lung inflammation or other lung injury. Never give anything by mouth to an unconscious person. Get immediate medical attention.

Most important symptoms and effects, both acute and delayed:

The most important known symptoms and effects are described in the labelling (see Section 2) and/or Section 11. Inhalation of high concentrations of this material, as could occur in enclosed spaces or improper use, may be associated with cardiac arrhythmias. Sympathomimetic drugs may initiate cardiac arrhythmias in persons exposed to this material. This material has as aspiration hazard. Any potential danger from aspiration must be weighed against possible oral toxicity when determining whether to induce vomiting. Consider activated charcoal and/or gastric lavage.



Bird Proof Safety Solvent Cleaner

SDS Number: 92

Revision Date: 12/7/2014 Page 4 of 11

Indication of any immediate medical attention and special treatment needed: No data available.

5

FIRE FIGHTING MEASURES

Flammability:Combustible Liquid Class IIFlash Point:109 °F (43 °C)Flash Point Method:(TCC)Burning Rate:No data availableAutoignition Temp:No data availableLEL:No data availableUEL:No data available

Extinguishing Media: Water Spray Water Fog Carbon Dioxide

Carbon Dioxide Alcohol-Resistant Foam Dry Chemical

Special Hazards Arising From the Substance or Mixture:

Aldehydes Carbon Oxides Hydrocarbon particulate Ketones Nitrogen Oxides (NOx) Organic acids Sulfur Oxides

Advice for Firefighters:

Firefighters should wear full-face, positive-pressure respirators.

Further Information:

If incinerated, may release toxic fumes. Use water spray to cool unopened containers. Do NOT use high volume water jet to extinguish fire, as the force of the water jet may cause fire to spread. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. See Section 7 for more information on safe handling. See Section 8 for more information on personal protection equipment. See Section 13 for disposal information.

6

ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Use personal protective equipment. Keep from contacting skin or eyes. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.



Bird Proof Safety Solvent Cleaner

Revision Date: 12/7/2014 Page 5 of 11

SDS Number: 92

Evacuate personnel to safe areas. Remove all sources of ignition.

If any equipment is necessary, ensure that it is non-sparking and electrically-protected.

Environmental Precautions:

Prevent further release (leakage/spillage) if safe to do so. Do not allow product to enter drains. Do not allow to drain to environment.

Methods and Materials for Containments and Cleaning Up:

Ensure adequate ventilation.

Contain spillage and absorb with liquid-binding material (sand, diatomite, universal binders, vermiculite) and placed in container for disposal.

Spill may also be diluted with equal volume of water and absorbed (as above) or collect with an electrically-protected vacuum cleaner or by wet-brushing. Collected waste should then be placed in container for disposal. Dispose of contaminated material according to Section 13.

Reference to Other Sections:

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for information on proper disposal.

HANDLING AND STORAGE

Handling Precautions:	Avoid breathing vapors or mist. Avoid contact with eyes, skin, or clothing. Keep containers closed when not in use. Do not expose containers to open flame, excessive heat, or direct sunlight. Keep away from sources of ignition. Do not smoke while using material. Take measures to prevent the buildup of electrosatic charge.
	Do not puncture or drop containers. Handle with care and avoid spillage on the floor (slippage). Keep material out of reach of children. Keep material away from incompatible materials. Wash thoroughly after handling.
Storage Requirements:	 Keep container tightly closed. Avoid inhalation of vapors or mist upon opening container. Store in a well-ventilated place. Do not store at elevated temperatures. Do not store in direct sunlight. Store away from strong acids, strong bases, strong oxidizing agents, strong reducing agents, Amines, Ammonia, Halogens, reactive metals (Zinc & Aluminum) and their alloys (Brass), Alkali metals, Alkali salts, liquid Chlorine, Oxygen and Chlorates.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:

8

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use local exhaust at filling zones and where leakage and dust formation is probable. Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.



SDS Number: 92

Bird Proof Safety Solvent Cleaner

Revision Date: 12/7/2014 Page 6 of 11

Personal Protective Equip: Eye/face protection:

When using material use safety goggles, gloves, apron and vapor respirator according to HMIS PP, H. All safety equipment should be tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

Skin protection:

Handle with gloves made from PVC, butyl-rubber, neoprene, nitrile or fluorinated-rubber. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact. Dispose of contaminated gloves according to applicable laws and laboratory practices.

Body Protection:

Chemically resistant gloves, apron, safety goggles and vapor respirator are recommended. Type of protective equipment should be selected based on concentration amount and conditions of use of this material.

Respiratory protection:

Full-face vapor respirator may be required as backup to engineering controls when proper engineering controls are not in place to keep TLV and PEL limits below defined thresholds.

Control of environmental exposure: Prevent leakage or spillage if safe to do so. Do not let material enter drains.

Components with workplace control parameters:

Component(s): Solvent naphtha, petroleum, light arom.; 1,2,4-Trimethylbenzene; 2-Butoxyethanol; 1,3,5-Trimethylbenzene; Xylene; Cumene; Diethylbenzene CAS No(s): 64742-95-6; 95-63-6; 111-76-2; 108-67-8; 1330-20-7; 98-82-8; 25340-17-4 USA NIOSH (TWA/REL): 24 mg/m³ USA ACGIH (TWA/TLV): 96 mg/m³ USA ACGIH (STEL/TLV): 655 mg/m³ USA OSHA (TWA/PEL): 2000 mg/m³ USA OSHA - Table Z-1 Limits for Air Contaminants (TWA): 120 mg/m³ USA OSHA - Table Z-1 Limits for Air Contaminants (STEL): 655 mg/m³ USA OSHA Occupational Exposure Limits Table Z-1 Limits for Air Contaminants (TWA): 240 mg/m³ USA Workplace Environmental Exposure Levels (WEEL): 27.45 mg/m³

Biological occupational exposure limits:

Component: 2-Butoxyethanol CAS-No: 111-76-2 Parameters: Butoxyacetic acid (BAA) Biological Specimen: Urine USA ACGIH Biological Exposure Indices: 200 mg/g

Component: Xylene CAS-No: 1330-20-7 Parameters: Methylhippuric acids Biological Spoecimen: Urine USA ACGIH Biological Exposure Indices: 1,500 mg/g



Bird Proof Safety Solvent Cleaner

Revision Date: 12/7/2014 Page 7 of 11

9

A P

SDS Number: 92

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear, light-yellow liquid		
Physical State:	Liquid	Odor:	Hydrocarbon-like
Odor Threshold:	Not determined	Molecular Formula:	MIXTURE
Particle Size:	Not determined	Solubility:	Not determined
Spec Grav./Density:	0.9095 g/ml (7.58 lbs/gal)	Softening Point:	Not determined
Viscosity:	Not determined	Percent Volatile:	83.32%
Sat. Vap. Conc.:	Not determined	Heat Value:	Not determined
Boiling Point:	Not determined	Freezing/Melting Pt.:	Not determined
Flammability:	(solid, gas): Flammable	Flash Point:	109 °F (43 °C)
Partition Coefficient:	Not determined	Octanol:	Not determined
Vapor Pressure:	(mm Hg @ 20 °C): 15	Vapor Density:	(air = 1): > 1.0
pH:	Not determined	VOC:	758 g/l
Evap. Rate:	(N-Butyl Acetate = 1). Not determined	Bulk Density:	Not determined
Molecular weight:	MIXTURE	Auto-Ignition Temp:	Not determined
Decomp Temp:	Not determined	UFL/LFL:	Not determined

10

STABILITY AND REACTIVITY

Stability:	Product is stable under normal conditions.
Conditions to Avoid:	Incompatibilities, flames, ignition sources.
Materials to Avoid:	Strong acids, strong bases, strong oxidizing agents, strong reducing agents, Amines, Ammonia, Halogens, reactive metals (Zinc & Aluminum) and their alloys (Brass), Alkali metals, Alkali salts, liquid Chlorine, Oxygen and Chlorates.
Hazardous Decomposition:	Aldehydes, Carbon Oxides, Hydrocarbon particulate, Ketones, Nitrogen Oxides (NOx), Organic acids and Sulfur Oxides.
Hazardous Polymerization:	Will not occur.

11

TOXICOLOGICAL INFORMATION

Component(s): Solvent naphtha, petroleum, light arom.; 1,2,4-Trimethylbenzene; Trade Secret; 2-Butoxyethanol; 1,3,5-Trimethylbenzene; Amides, coco, N,N-bis(hydroxyethyl); Xylene; Cumene; Diethylbenzene CAS No(s): 64742-95-6; 95-63-6; None; 111-76-2; 108-67-8; 68603-42-9; 1330-20-7; 98-82-8; 25340-17-4

Acute Toxicity:

LD50 Oral - Rat: 470 mg/kg NOAEL Feed - Rat: 535.8 mg/kg LD50 Dermal - Rabbit: 220 mg/kg LD50 Intraperitoneal - Rat: 220 mg/kg LD50 Intravenous - Rat: 307 mg/kg LC50 Inhalation - Rat: 2175 mg/m³ (4 h)

Skin Corrosion/Irritation: Rabbit skin - Irritating to skin (4 h).

Serious Eye Damage/Eye Irritation: Risk of serious damage to eyes.

Respiratory or Skin Sensitation: May cause respiratory irritation. Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.



SDS Number: 92

Bird Proof Safety Solvent Cleaner

Revision Date: 12/7/2014 Page 8 of 11

Germ Cell Mutagenicity: In vitro studies show positive results of mutagenicity.

Carcinogenicity: In vivo studies show positive results of kidney cancer.

This product is or contains components that are possibly classifiable as to their carcinogenicity based on their IARC, ACGIH, NTP, or OSHA classification.

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Cumene). 2B - Group 2B: Possibly carcinogenic to humans (Amides, coco, N,N-bis(hydroxyethyl)). 3 - Group 3: Not classifiable as to its carcinogenicity to humans (2-Butoxyethanol). 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Xylene).

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive Toxicity:

NOEL Teratogenicity - Oral - Rat: 50 mg/kg Effects on development were observed. The significance of these findings for humans is not certain.

Specific Target Organ Toxicity - Single Exposure: No data available.

Specific Target Organ Toxicity - Repeated Exposure: No data available.

Aspiration Hazard: My be fatal if swallowed and enters airways.

Additional Information:

Component: Solvent naphtha, petroleum, light arom.; RTECS: WF3400000 Component: 1,2,4-Trimethylbenzene; RTECS: DC3325000 Component: 2-Butoxyethanol; RTECS: KJ8575000 Component: 1,2,5-Trimethylbenzene; RTECS: OX6825000 Component: Amides, coco, N,N-bis(hydroxyethyl); RTECS: GG6200000 Component: Xylene; RTECS: ZE2100000 Component: Cumene; RTECS: GR8575000 Component: Diethylbenzene; RTECS: CZ5600000

12

ECOLOGICAL INFORMATION

Component(s): Solvent naphtha, petroleum, light arom.; 1,2,4-Trimethylbenzene; Trade Secret; 2-Butoxyethanol; 1,3,5-Trimethylbenzene; Amides, coco, N,N-bis(hydroxyethyl); Xylene; Cumene; Diethylbenzene CAS No(s): 64742-95-6; 95-63-6; None; 111-76-2; 108-67-8; 68603-42-9; 1330-20-7; 98-82-8; 25340-17-4

Toxicity:

Toxicity to fish: LC50 - Oncorhynchus mykiss (Rainbow Trout): 4.8 mg/l (96 h) LC50 - Lepomis macrochirus (Bluegill Sunfish): 1.0 mg/l (96 h) LC50 - Carassius auratus (Goldfish): 12.52 mg/l (96 h) LC50 - Branchydanio rerio: 3.6 mg/l (96 h) LC50 - Morone saxatillis: 2 mg/l (96 h) Mortality LOEC - Pimephales promelas (Fathead Minnow): 2.0 mg/l (144 h)



Bird Proof Safety Solvent Cleaner

SDS Number: 92

Revision Date: 12/7/2014 Page 9 of 11

Mortality NOEC - Pimephales promelas (Fathead Minnow): 1.8 mg/l (144 h) Flow-through test LC50 - Pimephales promelas (Fathead Minnow): 7.72 mg/l (96 h) Semi-static test LC50 - Oncorhynchus mykiss (Rainbow Trout): 0.673 mg/l (96 h)

Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna (Water Flea): 4.2 mg/l (24 h) EC50 - Daphnia magna (Water Flea): 12.2 - 17.0 mg/l (48 h) EC50 - Daphnia: 2.14 mg/l (48 h) Mortality NOEC - Daphnia magna (Water Flea): 10.0 mg/l (144 h) Mortality LOEC - Daphnia magna (Water Flea): 20.0 mg/l (144 h) Immobilization EC50 - Daphnia magna (Water Flea): 6 mg/l (48 h) Static test EC50 - Daphnia magna (Water Flea): 2.01 mg/l (48 h)

Toxicity to algae:

EC50 - Pseudokirchneriella subspicatus (Green Algae): 2.6 mg/l (72 h) EC50 - Pseudokirchneriella subspicatus (Green Algae): 72 mg/l (14 d) Growth Inhibition LOEC - Pseudokirchneriella subcapitata: 16.0 mg/l (96 h) Growth Inhibition NOEC - Pseudokirchneriella subcapitata: 8.0 mg/l (96 h) Static test EC50 - Pseudokirchneriella subspicatus (Selenastrum capricornutum): 1.21 mg/l (72 h)

Toxicity to bacteria: Respiration Inhibition NOEC - Sludge Treatment: > 1,000 mg/l (3 h)

Persistence and Degradability:

Not readily biodegradable.

Bioaccumulative potential:

Most of the hydrocarbon blocks comprising Naphtha Solvents have a Log_{kow} > 3, indicating that these constituents have a potential to bioaccumulate.

Mobility in Soil:

No data available.

Results of PBT and vPvB assessment:

Not required/conducted.

Other Adverse Effects:

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

13

DISPOSAL CONSIDERATIONS

Product: Hazardous wastes shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution, release into the environment or damage to people and animals. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated Packaging: Dispose of as unused product.



Bird Proof Safety Solvent Cleaner

Revision Date: 12/7/2014 Page 10 of 11

14

TRANSPORT INFORMATION

DOT Class: Flammable Liquid (3) #3 UN #: UN 1993, Class: 3, Proper Shipping Name: Flammable liquids, n.o.s. (Aromatic petroleum naphtha)

DOT (US)

SDS Number: 92

UN Number: UN1993 Class: 3 Packing Group: III ERG #: 128 Proper Shipping Name: Flammable liquids, n.o.s. (Aromatic petroleum naphtha) Marine Pollutant: Yes Poison Inhalation Hazard(s): No

DOT (US) Non-Bulk (under 119 gallons)

Non-regulated material, liquid

IMDG

UN Number: UN1993 Class: 3 Packing Group: III EMS-No: F-E, S-E Proper Shipping Name: Flammable liquids, n.o.s. (Aromatic petroleum naphtha) Marine Pollutant: Yes

IATA

UN Number: UN1993 Class: 3 Packing Group: III ERG #: 128 Proper Shipping Name: Flammable liquids, n.o.s. (Aromatic petroleum naphtha)



15

REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Solvent naphtha, petroleum, light arom. (64742956 30-40%) NJHS, PA, PROP65, TSCA

*1,2,4-Trimethylbenzene (95636 20-30%) MASS, NJHS, PA, SARA311/312, SARA313, TSCA, TXAIR

*Trade Secret (None 20-35%) MA, NJHS, PA, SARA311/312, TSCA

*1,3,5-Trimethylbenzene (108678 5-10%) MASS, NJHS, PA, SARA311/312, TSCA

*2-Butoxyethanol (111762 10-15%) HAP, MASS, NJHS, OSHAWAC, PA, SARA311/312, SARA313, TSCA, TXAIR

*Amides, coco, N,N-bis(hydroxyethyl) (68603429 1.5-5%) PROP65, SARA311/312, TSCA



Bird Proof Safety Solvent Cleaner

SDS Number: 92

Revision Date: 12/7/2014

Page 11 of 11

*Xylene (1330207 1.5-5%) CERCLA, CSWHS, EPCRAWPC, HAP, MASS, NJHS, OSHAWAC, PA, SARA313, TOXICRCRA, TSCA, TXAIR, TXHWL

*Cumene (98828 0.4-0.5%) CERCLA, HAP, MASS, NJHS, OSHAWAC, PA, PROP65, SARA313, TOXICRCRA, TSCA, TXAIR, TXHWL

*Diethylbenzene (25340174 1.5-5%) NJHS, PA, SARA311/312, TSCA, TXAIR

REGULATORY KEY DESCRIPTIONS

CERCLA = Superfund clean up substance CSWHS = Clean Water Act Hazardous substances EPCRAWPC = EPCRA Water Priority Chemicals HAP = Hazardous Air Pollutants MASS = MA Massachusetts Hazardous Substances List NJHS = NJ Right-to-Know Hazardous Substances OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances PROP65 = CA Prop 65 SARA313 = SARA 313 Title III Toxic Chemicals TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List) TSCA = Toxic Substances Control Act TXAIR = TX Air Contaminants with Health Effects Screening Level TXHWL = TX Hazardous Waste List

OTHER INFORMATION

Disclaimer:

16

The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material in any process. The information set forth herein is furnished free of charge and is based on technical data that Titan Laboratories believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside of Titan Laboratories' control, Titan Laboratories makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe upon, any patents.

Preparation Information:

GHS Conversion Services www.ghsconversionservices.com (669) 236-0304